

tel: 760 438-7755 fax: 760 438-7411

Tijuana, Baja California. February 27, 2003.

Ing. Miguel Ávila Niebla Director General Comisión Estatal de Servicios Públicos de Tijuana Blvd. Federico Benítez No. 4057, Colonia 20 de Noviembre, Tijuana, Baja California C.P. 22430

Subject:

Potable Water and Wastewater Master Plan for the Municipalities of Tijuana

and Playas de Rosarito - Final Report

Dear Ing. Ávila:

CDM is pleased to provide you with eight (8) copies in Spanish, and eight (8) copies in English of the Potable Water and Wastewater Master Plan for the Municipalities of Tijuana and Playas de Rosarito. Included are also the corresponding executive summaries in both Languages:

In addition to the Master Plan repots, we are providing you with 8 electronic copies in English and Spanish, and 2 copies of the environmental reports for compliance with Mexico and the United States applicable environmental laws.

Eight copies of the Executive Summary for the Municipality of Playas de Rosarito are also included, with their corresponding electronic files. Additionally, our project electronic files are included in a CD for your use.

Please do not hesitate to contact me should there be any questions.

Sincerely,

Enrique López (Project Manager

Camp Dresser & McKee Inc

c.c.p. Hermila Tinoco Tellez - CESP1 e.c.p. Erik Schlebach - NADBank e.c.p. Wendi Shafir - U.S. EPA

Contents Vol. 1 of 2

List of I	igures			v
List of T	Γables.			vii
Section	1 Intro	duction	ı	
	1.1	Backgro	ound	1-1
	1.2	Project	Objectives	1-2
	1.3	Report	Organization	1-2
	1.4	Importa	ant Considerations	1-3
Section	2 Desc	ription	of the Area of Study	
	2.1	Descrip	tion of the Area of Study	2-1
		2.1.1	Geographical and Topographic Characteristics	2-1
		2.1.2	Topography	2-4
		2.1.3	Climate	2-4
		2.1.4	Hydrography	2-6
		2.1.5	Vegetation	2-7
		2.1.6	Geology and Hydrogeology	2-7
		2.1.7	Risks Associated with Natural Phenomena	2-11
		2.1.8	Land Use	2-11
	2.2	Develo	pment Plans	2-18
	2.3	Populat	tion	2-20
	2.4	Existing	g Potable Water Systems	2-24
		2.4.1	General Description	2-24
		2.4.2	Sources, Quality, and Level of Treatment	2-27
		2.4.3	Aggregate Water Usage	2-35
		2.4.4	Level of Service	2-37
	2.5	Descrip	tion of the Current Wastewater Disposal System	2-37
		2.5.1	General Description	
		2.5.2	Service Levels	2-38
		2.5.3	Treatment and Disposal Levels	2-38
		2.5.4	Wastewater Discharge Regulations	
		2.5.5	Wastewater Quality and Effects	
	2.6	Enviror	nmental Impacts	
		2.6.1	Environmental Context	
		2.6.2	The Public Health Issue	2-50
		2.6.3	Environmental Issues	
		2.6.4	Major Considerations in the Planning Process	
	2.7		nic Factors and Activity	
		2.7.1	Economic Factors	

	2.8	Transbo	oundary Considerations	2-59
	2.9	Other S	ervices Provided by CESPT and by Private Infrastructure	2-62
Secti	on 3 Ass	sessment (of Current Conditions	
	3.1	Water R	Resources	3-1
		3.1.1 C	ondition and Capacity	3-1
		3.1.2 Pl	anned Improvements	3-7
		3.1.3 C	urrent Deficiencies in the Supply Sources	3-8
	3.2	Water P	roduction	3-9
		3.2.1	Condition and Capacity	3-9
		3.2.2	Operation and Maintenance	3-28
		3.2.3	Current Deficiencies	3-31
		3.2.4	Current Planned Projects	3-33
	3.3	Potable	Water System	3-34
		3.3.1	Service Area	3-34
		3.3.2	Condition and Capacity (State of the Infrastructure)	3-43
		3.3.3	Identification of Unaccounted Water Losses	3-54
		3.3.4	Operation-and-Maintenance Practices	3-56
		3.3.5	Procedural Framework	3-57
		3.3.6	Shortcomings in the Potable Water System	3-58
		3.3.7	Current and Planned Projects	3-59
	3.4	Sewer S	ystem	3-59
		3.4.1	General Description	3-59
		3.4.2	Infrastructure Description	3-62
		3.4.3	Sewer System Capacity	3-64
		3.4.4	Service Coverage	3-66
		3.4.5	Industrial Pretreatment Program	3-69
		3.4.6	Operation-and-Maintenance Practices	3-69
		3.4.7	Procedural Framework	3-71
		3.4.8	Current and Planned Projects	3-73
	3.5	Sanitati	on	3-73
		3.5.1	Introduction	3-73
		3.5.2	Current Conditions of Treatment Plants	3-74
			3.5.2.1 South Bay International Wastewater Treatment	
			Plant (SBIWTP)	3-74
			3.5.2.2 San Antonio de Los Buenos	3-77
			3.5.2.3 Other Wastewater Treatment Plants	3-82
		3.5.3	Operation and Maintenance Practices	3-88
		3.5.4	Current and Planned Projects	
		3.5.5	Procedural Framework	3-89



Section	4 Gen	eral Pla	nning Methodology	
	4.1	Sustair	nable Development for Master Plan Decision Making	4-1
		4.1.1	Requirements for Sustainable Development Process	4-1
		4.1.2	Indicators and Criteria	4-2
		4.1.3	Weighting the Criteria	4-7
	4.2	Evalua	tion of Alternatives	4-8
Section	5 Popi	ulation,	Growth and Land Use Projections	
	5.1		h Assumptions	5-1
	5.2		ntion Growth Projections	
		5.2.1	Methodology	5-2
		5.2.2	Projections	5-3
	5.3	Econor	nic Growth Projections	5-7
		5.3.1	Economic Forecast Model	
		5.3.2	Economic Growth Projections for Tijuana and Playas de	
			Rosarito	5-9
		5.3.3	Forecast of Industrial Growth in Tijuana and Playas de	
			Rosarito	5-11
	5.4	Foreca	st of Growth Distribution	5-13
		5.4.1	Methodology	5-13
		5.4.2	Population and Land Use Projections	5-15
	5.5	Growt	h Projection by Area	5-15
Section	6 Wate	er Dema	and Projections	
	6.1	Potable	e Water Demand Projections	6-1
		6.1.1	Historic and Current Water Demand per Customer Type	
		6.1.2	Physical and Commercial Losses (unaccounted-for-water)	
		6.1.3	Current Water Supply per Customer Type	
		6.1.4	Future Physical and Commercial Losses	
		6.1.5	Water Consumption and Supply Projections	
		6.1.6	Water Demand Projections	
		6.1.7	Comparison Between Water Demand and Capacity	
			of Water Supply Sources	6-11
		6.1.8	Comparison of Water Demand and Water Treatment Capacity	
	6.2	Wastey	water Flow Projections	
		6.2.1	Current Wastewater Generation	
		6.2.2	Sewer System Infiltration	
		6.2.3	Projections of Wastewater Generation	
		6.2.4	Comparison of Wastewater Generation and Treatment	0 10
		-	Capacity	6-18
	6.3	Water	Demand Geographical Distribution	
		6.3.1	Definition of Pressure Zones	
CDM				iii

	6.3.2 Population Distribution by Pressure Zones	6-23
	6.3.3 Water Demand Distribution by Pressure Zones	6-28
6.4	Geographical Distribution of Wastewater Generation Projections	
	6.4.1 Definitions of Sewer Sub-basins	
	6.4.2 Population Distribution by Sub-basin	6-34
	6.4.3 Wastewater Generation Distribution by Sub-basin	6-37
6.5	Water Conservation Programs and Recommended Actions	6-40
Section 7 Wa	ter Resources and Potabilization Requirements	
7.1	Current and Potential Water Sources	7-2
	7.1.1 Current Water Sources	7-2
	7.1.2 Potential Water Sources	7-5
7.2	Identification of Feasible Water Sources	7-13
7.3	Water Treatment Options	7-14
	7.3.1 Potential Water Sources	
	7.3.2 Potable Water Quality Regulations	
	7.3.3 Quality of Identified Water Sources	
	7.3.4 Water Quality Goals Recommended for the Master Plan	
	7.3.5 Water Options Available for Each Source	7-22
7.4	Identification of the Most Feasible Water Treatment Options	7-24
7.5	Identification of Potential Sites for the Construction of Water	
	Treatment Plants	7-25
Section 8 Wa	stewater Infrastructure Requirements	
8.1	Wastewater System Evaluation	8-1
8.2	Wastewater Projects considered by CESPT in the short-term	8-3
8.3	Additional Needs for Wastewater Treatment Capacity	8-3
8.4	Wastewater Treatment Options	8-5
	8.4.1 Wastewater Discharge Regulations	8-5
	8.4.2 Discharge Quality Goals Recommended for the Master Plan	8-8
	8.4.3 Available Wastewater Treatment Options	8-9
8.5	Prioritization of Wastewater Option Used for Planning Purposes	8-15
8.6	Identification of Potential Sites for the Construction of Treatment Plants	8 ₋15
8.7	United States Public Law Plant	
	velopment of Water and Wastewater Alternatives	0.1
9.1	Water Alternatives	
9.2	Prioritization of Water Alternatives	
9.3	Wastewater Alternatives	
9.4	Priorization of Wastewater Alternatives Common Elements to all the Alternatives	
9.5 CDM	Common Elements to an the Alternatives	9-14 iv

Figures

2-1	Geographical Location and Topography	2-2
2-2	Digital Model of the Elevation	
2-3	Classification of Slopes	2-5
2-4	Delimitation of the Basins	2-8
2-5	Predominant Geological Characteristics	2-9
2-6	Predominant Lithological Characteristics	2-10
2-7	Principal Geological Faults in the Region	2-13
2-8	Zonification of Seismic Risk	2-14
2-9	Actual Urban Land Use	2-16
2-10	Future Urban Land Use	2-17
2-11	Current Potable Water Sources for Tijuana and Playa de Rosarito	2-26
2-12	Hydrological Basins of Tijuana and Playas de Rosarito	2-40
2-13	Existing Wastewater Treatment Plants in the Area of Study	2-42
3-1	Mexicali-Tijuana aqueduct	3-4
3-2	Historical production of all water sources	3-12
3-3	Historical production of the El Florido Water Treatment Plant	3-13
3-4	El Florido Water Treatment Plant Flow Diagram (Module 1)	3-14
3-5	El Florido Water Treatment Plant Flow Diagram (Module 2)	3-15
3-6	Daily turbidities of the effluent of El Florido Water Treatment Plant,	
	Module 1 (2001)	3-18
3-7	Daily turbidities in the effluent of El Florido Water Treatment Plant,	
	Module 2, (2001)	3-19
3-8	Percentile distribution of daily turbidity in the effluent of	
	El Florido Water Treatment Plant (2001)	3-20
3-9	Albelardo L. Rodriguez Water Treatment Plant Flow Diagram	3-22
3-10	Historical production of Albelardo L. Rodriguez Water Treatment	
	Plant	
3-11	Historical production of wells	3-29
3-12	Construction of the potable water system over 5 year periods	3-35
3-13	Districts of operation and maintenance	
3-14	Areas with and without piped potable water service	3-39
3-15	Areas with permanent low pressure and with low pressure in the	
	summer	
3-16	Areas with recurring leaks	
3-17	Areas requiring immediate rehabilitation	3-42
3-18	Primary elements that conform the potable water network of Tijuana	
	and Playas de Rosarito	3-44
3-19	Hydraulic Districts	3-49



3-20	Pipe system that conforms the primary sewage system network of	
	Tijuana and Playas de Rosarito	
3-21	Areas where pipelines have exceeded useful life	3-67
3-22	Areas of flooding and wastewater overflows during periods of rainfall	3-68
3-23	Areas with and without sanitary sewage system	3-70
3-24	Location of pump stations and conveyance lines	3-79
3-25	Wastewater treatment plants sites are not operated by CESPT	3-83
4-1	Calculation Process for the Alternatives Score	4-9
4-2	Summary of the Alternatives Comparison Process	4-10
5-1	Total Population of Tijuana from 1930-2025	5-6
6-1	Unaccounted for Water 1996-2001 Tijuana and Playas	
	de Rosarito	6-4
6-2	Total Water Demand for the Study Area (Annual Average)	
6-3	Water Demand and Supply Projections Potable for Tijuana and	
	Playas de Rosarito	6-14
6-4	Projected Water Treatment Demand and Existing Treatment Capacity	
	For Tijuana and Playas de Rosarito.	6-16
6-5	Comparison of Treatment Demand and Capacity for the Study Area	6-20
6-6	Current Pressure Zone (2001)	6-22
6-7	Land use within each Pressure Zone	6-27
6-8	Cost Distribution per Pressure Zone	6-31
6-9	Watershed Limits	
6-10	Landuse within each Watershed	6-36
6-11	Flows Generated by Watershed	6-39
7-1	Potential future sites for Treatment Plants and Desalinization	
	Plant (2023)	7-29
8-1	Potential Future Sites for WWTP (2023)	



Tables

2-1	Boundaries of the Basins in the Study Area	2-6
2-2	Summary of the Enforced Development Plans and Programs in Tijuana	
	and Playas de Rosarito	2-18
2-3	Total Population and Rates of Demographic Growth for	
	Border States, 1960-2000	2-21
2-4	Total Population of Northern Mexican Border Cities, 1970-2000	2-21
2-5	Population by Age and Gender, Tijuana-Playas de Rosarito 2000	2-23
2-6	Population 5 years of Age and Older by Educational Level and	
	Gender, Tijuana-Playas de Rosarito, 2000	2-24
2-7	Water Production (2001)	2-27
2-8	2001 Monthly Average Water Quality Results - Influent and Effluent at	
	El Florido Water Treatment Plant	2-28
2-9	Year 2001 Monthly Average Water Quality Results - Well Water	2-31
2-10	Parameter Averages Found in Tanks Monitored by CESPT	2-33
2-11	Average Levels of Residual Chlorine Found at Monitoring Points	
	in the Potable Water System	2-33
2-12	Volume Invoiced by Year and Number of CESPT Registered	
	Customer Accounts	2-36
2-13	Estimated Consumption and Supply of Potable Water, 2001	2-36
2-14	Service Coverage Reported by INEGI for 2000	2-37
2-15	Maximum Allowable Limits for Discharges to Recreational-Use	
	Coastal Waters NOM-001-ECOL-1996	2-41
2-16	Maximum Allowable Limits for Contaminants in Wastewater	
	Discharges to Urban or Municipal Sewer Collection Systems	
	NOM-002-ECOL-1996	2-43
2-17	Maximum Allowable Limits for Contaminants in Treated Wastewater	
	for Public Re-Use NOM-ECOL-003-1997	2-43
2-18	Wastewater Treatment Plants Operated by CESPT	2-44
2-19	Particular Conditions of Discharge from the San Antonio de Los	
	Buenos Wastewater Treatment Plant	2-45
2-20	Specific Discharge Conditions: Playas de Rosarito Wastewater	
	Treatment Plant	2-45
2-21	Allowable Limits for Heavy Metals in Biosolids	
	PROY-NOM-004-ECOL-2001	2-46
2-22	Allowable Limits for Pathogens and Parasites in Biosolids	
	NOM-004-ECOL-2001	2-46
2-23	Water Quality Limits Established by the Regulation	2-47
2-24	Poverty Rates	
2-25	Percentage Distribution of the Population by Minimum Salary Ranges	

2-26	Contribution of Cities to National Poverty Rates	2-54
2-27	Rates of Shortfalls in Basic Services, 1995	2-56
2-28	Human Development Index 2000 (Adjusted for Income Distribution)	2-59
2-29	International Boundary and Water Commission Relevant Agreements	2-60
2-30	Standpipes operated by CESPT used to provide water to water trucks	2-62
2-31	Wastewater treatment plants not operated by CESPT	2-63
3-1	Average Annual Water Production for 2001	3-1
3-2	Record of wells	3-6
3-3	Proposed Project and Total Usable Flow	3-8
3-4	Design Criteria for the El Florido Plant	3-16
3-5	Design criteria for the Abelardo L. Rodriguez Plant	3-25
3-6	Water Quality - Year 2001 - Average Monthly Results - Effluent from	
	Rodriquez Treatment Plant	3-26
3-7	Proposed projects for the exploitation of groundwater	
	through deep wells	3-34
3-8	Number of Colonias (Neighborhoods) with Water Service Problems	3-38
3-9	Potable Water System Installations	3-45
3-10	Period and Expanse of Pipe Installation	3-46
3-11	Potable Water Distribution System in Tijuana and Playas de Rosarito	3-47
3-12	Drinking Water System - Materials and Length	3-47
3-13	Aqueducts and Transmission Mains - Materials and Pipe Capacity	3-50
3-14	Determination of Monthly Water Losses (2001)	3-55
3-15	Water Losses	3-56
3-16	Wastewater Flow at Pumping Stations (2001)	3-63
3-17	Collected and Quantified Wastewater Flows, Tijuana and Rosarito	3-64
3-18	Operational Flows, SBIWTP	3-75
3-19	California Ocean Plan Allowable Discharge Limits	3-76
3-20	Summary of Influent (IN) and Effluent (EF) Water Quality,	
	SBIWTP, 1999-2001	3-76
3-21	Influent flows to the San Antonio de los Buenos WWTP	3-80
3-22	Maximum Permissible Limits for San Antonio de Los Buenos de	
	Acuerdo WTP established by NOM-001-ECOL-1996 and the Specific	
	Particular Conditions of Discharge	
3-23	Summary of Influent (IF) and Effluent (EF) Water Quality, 1996-2001	3-81
3-24	Specific Discharge Conditions for the Rosarito WTP, April 11, 1997	3-84
3-25	Influent and Effluent Water Quality of the treatment plant,	
	1988 to 2001	3-84
3-26	Characteristics of the Influent and the Effluent of the San Antonio del	
	Mar Plant between 1998-2001	3-86
3-27	Characteristics of the Influent and the Effluent of the San Antonio	
	del Mar Plant between January and March 2002	3-87
3-28	Treatment Plants not operated by CESPT	3-88

4-1	Concurrent Technical and Decision Making Tasks for the Master Plan	4-2
4-2	Goals, Criteria, and Components for Evaluation of Alternatives	4-5
4-3	Aggregated Indicators for Institutional Strengthening and Monitoring	4-6
4-4	Criteria Rank and Weights	4-8
5-1	Population Projections 2000-2025	5-4
5-2	Total Population for the Municipalities of Tijuana and Playas de	
	Rosarito	
5-3	Tijuana and Playas de Rosarito: Growth Rates 1990-2040	
5-4	Population of the Study Area per Year of Projection	5-7
5-5	Projection of the Regional Gross Product of Tijuana and Playas de	
	Rosarito, 1993-2020	5-10
5-6	Gross Domestic Product of Tijuana by Great Division 1993-2020	
	Thousands of Pesos at 1993 Prices	5-12
5-7	Gross Domestic Product of the Manufacturing Industry	
	of Tijuana by Division, 1993-2020, Thousands of Pesos at 1993 Prices	
6-1	Historical Consumption per Customer Type (1996-2001)	
6-2	Residential Consumption in 2001	6-2
6-3	Water Losses in the Playas de Tijuana District	
6-4	Unaccounted-for-Water for the 1996-2001 Period	
6-5	Water Supply per User Type (2001)	6-5
6-6	Projected Physical and Commercial Water Losses	
6-7	Water Demand Projections	6-6
6-8	Water Supply Projections	6-7
6-9	Population Projections	6-8
6-10	Projections for Commercial, Industrial and Government Customers	6-9
6-11	Water Demand Projections by User Type for Tijuana, Playas de	
	Rosarito and Coastal Communities (1/s)	
6-12	Projected Demand and Capacity of Existing Sources	6-13
6-13	Water Demand Projections and Treatment Capacity	
6-14	Wastewater Flow Measurements - 2001	
6-15	Wastewater Generation Projections (2001-2023)	6-18
6-16	Treatment Capacity of Existing and Projected Plants	6-19
6-17	Wastewater Flow Projections and Treatment Capacity	6-19
6-18	Large Storage Capacity Tanks (1,000 to 30,000 m³)	6-23
6-19	Population Distribution per Storage Tank (Pressure Zones) - 2001	6-25
6-20	Water Demand per Storage Tank (Pressure Zones)	6-28
6-21	Sub-basin within the Study Area	
6-22	Population per Sub-basin	
6-23	Wastewater Generation Distribution by Sub-basin	6-37
6-24	General Methodology for Leak Control	6-42
7-1	Options for Potential Water Sources	
7-2	Options for Identified Additional Water Sources	7-13



7-3	Water Quality Permissible Limits Established by NOM-127-SSA1-1994	7-14
7-4	Water Treatment Established by NOM-147-SSA1-1994	7-15
7-5	Colorado River Water Quality (Monthly Averages for 2001)	7-17
7-6	Groundwater Quality (Monthly Averages for 2001)	7-19
7-7	Goals for Potable Water Quality Recommended for Certain Parameters	
7-8	Prioritized Water Plant Options	7-25
8-1	Existing Wastewater Treatments Plants	
8-2	Capacity and Year in which the Japanese Credit Plants will	
	start Operations	8 -3
8-3	Summary of Wastewater Projections and Capacity Available	
	for Wastewater	8-4
8-4	Maximum Permissible Limits for Basic Contaminants	8-6
8-5	Permissible Maximum Limits for Heavy Metals in Biosolids According	
	to the Project Norm PROY-NOM-004-ECOL-2001	8-7
8-6	Permissible Maximum Limits for Pathogens and Parasites in Biosolids	
	According to the Project Norm PROY-NOM-004-ECOL-2001	8-8
8-7	Recommended Limits for Wastewater Effluent Discharge	
8-8	Available Wastewater Treatment Options	8-13
9-1	Comparison of Water Alternatives	9-5
9-2	Prioritization of Water Alternatives	
9-3	Comparison of Wastewater Alternatives	9-13



Section 1 Introduction

1.1 Background

With a population of approximately 1.4 million, the cities of Tijuana and Playas de Rosarito make up one of the largest metropolitan areas in Mexico. This region also has one of the highest population growth rates in the country. The rapid growth of this area presents a great challenge for the State Commission of Public Services of Tijuana (*Comisión Estatal de Servicios Públicos*, CESPT) to provide public services.

Large engineering projects such as the Abelardo L. Rodriguez reservoir, the Río Colorado-Tijuana Aqueduct, the Punta Bandera Wastewater Treatment Plant, and the wastewater conveyance system have been necessary to accommodate the growth and facilitate economic prosperity in the region. During the 1980s and 90s, CESPT has invested in the improvement of infrastructure in the areas of potable water, wastewater collection, and sanitation.

Accelerated growth, accompanied by scarce water resources, requires significant short-term investments to ensure the supply of water to Tijuana and Playas de Rosarito. Besides, CESPT needs to supply additional wastewater collection and sanitation services in the future since current investments in these areas will only address the problem of collection systems and sanitation services for the short term. To eliminate or significantly reduce discharge into the Tijuana and Alamar Rivers, and to protect the quality of receiving waters in the region, additional investments will be necessary.

The topographic characteristics of the Río Tijuana basin that the city shares with the United States create problems in providing services to many areas, in addition to the challenge of eliminating transborder impacts. However, sharing the Río Tijuana basin with the United States also provides an opportunity to find creative solutions binationally in terms of water and wastewater projects.

For these reasons, CESPT recognized the need to develop a master plan with appropriate planning tools to evaluate current conditions, identify shortfalls and find solutions, optimize existing resources, explore new opportunities, and provide a strategy to guide short, medium, and long-term investments.

The Potable Water and Wastewater Master Plan for the Municipalities of Tijuana and Playas de Rosarito (master plan) provides a programmatic plan for the next 20 years. Its goal is to orient today's investments according to a vision of the future as seen by CESPT, regulatory agencies of Tijuana and Playas de Rosarito, and the government of the state of Baja California. The plan is a tool to assess present conditions, evaluate future conditions, and make recommendations for investing in sustainable projects that are acceptable to the public and regulatory agencies.



1.2 Project Objectives

The overall project objective is to produce a dynamic document that presents an integral strategy for water and sanitation services in the study area. This will allow CESPT to collaborate in meeting the needs of public health, quality of life, and environmental protection for present and future generations.

Specific objectives include obtaining and validating information about physical, demographic, and environmental conditions in the study area. Demand projections for services are also necessary to analyze sources of supply, potable water, wastewater collection, and sanitation systems.

In addition, a prime objective of the study is to identify and develop alternatives to eliminate present and future deficits projected for sources of supply and potable water, wastewater collection, and sanitation systems. The potential for treated wastewater reuse is also evaluated.

Another objective of the master plan is to perform an environmental assessment in accordance with the guidelines of Mexican law as well as those of the National Environmental Policy Act (NEPA) of the United States.

The purpose of the study is to develop a plan to invest in projects to improve services of potable water, wastewater collection, sanitation, and wastewater reuse in the short-term (5 years), mid-term (10 years), and long-term (20 years).

1.3 Report Organization

The report contains 16 sections that generally follow a typical planning process from the beginning. Section 2 is a compilation of existing information, a task which formed the basis of the initial planning stages.

Section 3 of the plan is an assessment of the present condition of water resources, potable water, wastewater collection, sanitation, and wastewater reuse systems.

Section 4 is a description of the methodology used to make decisions in the master plan, based on principles of sustainable development described in guidelines of the Border Environment Cooperation Commission (BECC).

Section 5 presents demographic, commercial, and industrial growth projections.

Section 6 includes service demand projections based on growth forecasts and present capacities of the different systems.

Sections 7 and 8 present the infrastructure requirements for both water resources (including water treatment) and sanitation in the study area. These sections outline the alternatives for meeting future demands on those systems.



Section 9 presents how the master plan integrates the water and sanitation alternatives outlined in the two previous sections and gives a detailed description of each alternatives evaluated in the plan.

Sections 10 and 11 present the infrastructure requirements for the potable water and wastewater collection systems. These requirements are based on present need and on projected deficits, taking into account each of the alternatives described in Section 9.

Section 12 is one of the most important sections in the report. This part describes the integrated alternatives in detail and prioritizes them, in order to produce a list of three alternatives that best meet the objectives of CESPT, as well as the alternative that has the greatest potential.

Section 13 describes environmental documents prepared in conformance with Mexican and United States regulations.

Section 14 contains the investment plan, based on the best alternative according to the analysis in Section 12.

Section 15 describes institutional and legal issues relevant to the plan's implementation, defining important areas for future study.

The plan concludes with Section 16, which presents a follow-up and control plan.

1.4 Important Considerations

The master plan was developed within a framework of cooperation between several Mexican, United States, and binational agencies. The plan was prepared with collaboration and supervision of a Binational Technical Committee (BTC), composed of CESPT, the United States Environmental Protection Agency (EPA), the North American Development Bank (NADB), the National Water Commission (CNA), and the Baja California State Water Commission (CEA). The BTC was a decision-making body and it established conditions and basic planning assumptions. Some relevant issues are described below.

The base year of the study is 2001, since this was the closest year for which a 12-month record existed at CESPT. However, the final year of the plan is the year 2023 because 2003 will be the first year of the plan's implementation. Demand for potable water was also projected for the years 2030 and 2040.

Sources of demographic, socioeconomic, and land use information came from city, state, and federal agencies. Analyses and projections found in the master plan are based on official sources as well as important binational agreements.

The master plan contains important and basic considerations for planning. One consideration is that the potential expansion of the South Bay International Wastewater Treatment Plant (SBIWTP) in San Diego was outside the scope of the



study. However, CESPT should recognize that technically, the expansion of that plant is feasible and may present some advantages, although it would require significant binational negotiations and agreements.

In terms of infrastructure the plan assumes the following baseline conditions:

Baseline infrastructure: It is defined as the existing system in its current condition, plus infrastructure not yet in operation, but in process of being designed or constructed (defined by CESPT):

- Tijuana Sana (Tijuana Sewer Rehabilitation Project)
- Crédito Japonés Projects
- Rosarito System 2 for potable water
- Integral Development Tijuana River Wells
- Expansion of 1.3 m³/s to the existing aqueduct
- Water losses control program
- Delivery of water from the United States to Mexico (short-term)
- Interconnection of aqueducts on both sides of the Tijuana River
- Expansion and upgrade of the San Antonio de los Buenos Plant

The plan also includes references to *Public Law* 106-457, *Estuaries and Clean Waters Act of* 2000, Title VIII, *Tijuana River Valley Estuary and Beach Cleanup*. This law and the analysis included in the plan that is relevant to the law are described mainly in Sections 8, 9, and 12.

